

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22458	(select\$4 near5 (rout\$4)).bsum.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/11/15 11:37
L2	162	(select\$4 near5 (rout\$4)) with (based or basis or depend\$4 or accord\$4 or associat\$4) with (load\$4 or load \$1base\$4) with (router)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/11/15 11:47
L3	57	1 2	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/11/15 11:48
L4	1	(select\$4 near5 (rout\$4)) with (based or basis or depend\$4 or accord\$4 or associat\$4) with (load\$4 or load \$1base\$4) with (weight\$4 near2 hash\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/11/15 12:49
L5	2	("5473599").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 13:01
L6	1810	(load\$4 near3 base \$4) with (weight \$4 near2 base\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/11/15 13:18

L7	10	1 6	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/11/15 13:19
L8	11	(weight\$4 near2 hash) near9 (algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/11/15 13:20
L9	481	(hash\$4 near7 (function or algorithm)) with (source with destination)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/11/15 13:46
L10	432	(hash\$4 near7 (function or algorithm)) with (source with destination) with (IP or address or ID or identifier or identification or unique)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/11/15 13:46
L11	2	("7010611").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 13:48
L12	3	(hash near14 (function or algorithm)) with (router or switch \$4 or gateway) with (subsequen \$4 or next or following) with ("same") with (value or index)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/11/15 13:55

**EAST Search History (I nterference)**

&lt; This search history is empty &gt;

**11/ 15/ 2010 3:05:15 PM**